



捷曼门业(北京)有限公司/捷曼 (天津)智能科技有限公司

地址: 北京市房山区长政南街2号双子座北楼510室


电话: 010-83318982 400-666-1770

邮箱: gemlin@126.com

网址: www.gemlin.com

抖音号: gemlin2009

厂址: 天津市武清区万兴工业区兴旺道4号
南通市苏锡通产业园黄山路22号4栋



【公司公众号】

【服务二维码】



物流装卸货系统

Logistics Loading /
Unloading Systems

捷曼门业(北京)有限公司
捷曼 (天津)智能科技有限公司

捷曼简介 >>>

Company Profile

捷曼作为专业的卸口设备及通道门提供商，秉承着优秀的品质，精湛的工艺，先进的设计理念，完善及时的售后服务体系，已经成为国内众多的物流企业的选择。

As a professional supplier for docking equipment and access doors, Gemlin has been adhering to the excellent quality, exquisite craftsmanship, advanced design concept and perfect after-sales service system. Gemlin has become the choice of many domestic logistics enterprises.



产品目录 Contents >>>

装卸货平台 Dock levelers	3
GMBA 翻转式平台 Hinged Lip Dock levelers	3
GMILT 伸缩式平台 Telescopic Dock levelers	4
GMMA 机械式卸货平台 Mechanical Dock Levelers	5
平台基坑做法 Pit for Dock levelers	6
GMVL 垂直式平台 Vertical Dock levelers	7
GMFD 铝制平台 Aluminium Lifting Platform	8
其他定制升降平台 Other customized dock levelers	9
GMSP 剪式升降平台 Scissor Lift Platform	10
工业门 Industrial doors	11
STD40 工业滑开门 Industrial sectional Doors	12
STD60 工业滑开门 Industrial sectional Doors	12
STD80 工业滑开门 Industrial sectional Doors	12
STDLS-11 大跨度提升门 Large Sectional Doors	13
GMR95 卷帘门 Rolling shutter door	13
GPD100 快速卷帘门 Fast Roll Door	14
GYD600 硬质快速保温卷帘门 Fast Spiral Door	14
门封 / 门罩 Dock shelters/Dock Covers	15
GMQ 充气门封 Inflatable dock shelters	15
GMZ 门罩 Dock Covers	16
GMZ-A/B 门封 Cushion Dock shelters	17
特殊门封 Special Dock Shelters	18
装卸间 Dock house	19
工业篷房 Industrial Tent	20
装卸口防护设施 Safety Protection Devices	21
车棚照明灯 Dock light	21
车棚换气扇 Ventilating Fan	21
货车限位器 Truck Limiter	22
手动轮锁 Easy Lock	22
自动车轮锁 Automatic Wheel lock	22
交通灯 Traffic light	23
集成控制箱 Integrated control box	23
车辆导向轮 Vehicle-oriented guide	23
安全护栏 Dock Guard	24
装卸口方案 Loading/Unloading Port Solution	25
无断链装卸口 Loading/Unloading Port W/O Broken Chain	25
- 伸缩式 Telescopic	26
- 贯通型 Pass-through Type	26
- 豁口型 Gouging Type	26
- 垂直式 Vertical Type	27
防撞系统 Anti-collision system	28


装卸货平台

Dock levelers

GMBA 翻转式平台 Hinged Lip Dock levelers

翻版式卸货平台，当货车靠近月台停稳后，通过启动电动液压系统将主板升起脱离车厢板位置，搭接板展开，将搭接板置于货车厢板上，搬运车辆进入车厢内进行作业。


The Hinged lip dock levelers, when the truck stops near the platform, raises the mother board to a position higher than the car board by starting the electro-hydraulic system, unfold the lip, and put the lip onto the truck board, then the transport vehicles can go to the carriage for operation.




W(宽度) width
L(长度) length
H(高度) height
O(小板长度) lip length 400 mm
(调节范围) Adjustment Range $\pm 12.5\%$

型号 Models	规格 (mm)			载重 load	
	W	L	H	动载重: (T) Dynamic Load	静载重: (T) Static Load
GMBA	1800	2000	550/600	6	10
GMBA	1800	2350	550/600	6	10
GMBA	1800	2500	550/600	6	10
GMBA	2000	2000	550/600	6	10
GMBA	2000	2350	550/600	6	10
GMBA	2000	2500	550/600	6	10
GMBA	2000	2900	550/600	6	10

搭板类型 Lip Models



梯形搭板
Tapered Lip



三段式搭板
Fold-down Lip



保温型平台
Thermal insulation Dock levelers


GMLT 伸缩式平台 GMLT telescopic dock levelers

伸缩式卸货平台，当货车靠近月台停稳后通过启动电动液压系统将主板升起脱离车厢板位置，启动伸缩搭板，将搭板伸进货车厢板上，搬运车辆进入车厢内进行作业。

此种类型特别适用于冷链物流或有车厢两端装货需求的类型使用。

When the truck stops near the platform, raise the main board to the position above the carriage board by starting the electro-hydraulic system, and then start the telescopic lip, put the lip into the car board, and then the moving vehicle can go to the carriage to load/unload goods.


This type of dock leveler is especially suitable for cold chain logistics or the carriage type with loading demand at both ends.



W(宽度) width
L(长度) length
H(高度) height
O(小板长度) lip length 1000 mm
(调节范围) Adjustment Range $\pm 12.5\%$

型号 Models	规格 (mm)			载重 load	
	W	L	H	动载重: (T) Dynamic Load	静载重: (T) Static Load
GMLT	1800	2500	600	6	10
GMLT	2000	2500	800	6	10
GMLT	2000	3000	600	6	10

搭板类型 Lip Models



梯形搭板
Tapered Lip



三段式伸缩搭板
Retracting Tongues



装卸货平台

Dock levelers

GMMA 机械式卸货平台 Mechanical Dock Leveler

捷曼机械式卸货平台具有高性能、低维护的特点，能够增加在高强度装卸区的作业安全性。只需轻轻拉动链条，就可利用弹簧的力量将调节板主版面抬升，然后操作人员走上大版面，大版面被压下的同时，小搭板通过推杆结构，搭到车箱尾部，完成整个动作。机械式卸货平台具有性能稳定，操作方便，维修简单，采购成本低的特点，特别适合于经常停电的地区和一些特别要求防火和防爆的区域。

Gemlin mechanical dock levelers has characteristics of high performance and low maintenance, which can increase the safety of high-strength loading area. Only pulling the chain lightly, the motherboard can be lifted by the force of the spring, and then the operator goes up to the motherboard, the motherboard is pressed down, and the lip is connected to the tail part of the carriage through the push rod structure, then the whole operation is completed. The mechanical dock leveler has the characteristics of stable performance, convenient operation, simple maintenance and low procurement cost, and it is particularly suitable for areas with frequent power failure and special requirements for flame-proof and explosion-proof.



型号 Models	规格 (mm)			载荷 load	
	W	L	H	动载荷: (T) Dynamic Load	静载荷: (T) Static Load
GMMA	1800	2000	550/600	6	10
GMMA	2000	2000	550/600	6	10
GMMA	2000	2500	550/600	6	10
GMMA	2000	3000	550/600	6	10

装卸货平台基坑做法

Method of Foundation Pit for Dock levelers

工程开始施工前就要选择建设什么类型的基坑。事实上，建设一个良好的装卸货平台基坑是可以降低建设成本的。

基坑对月台的要求：站台必须能够承受装卸货时产生水平拉力以及卡车倒车产生的冲力。站台边缘采用角钢包角处理。


Before the construction of the project, the type of foundation pit should be selected.

In fact, Construction of a good dock leveler foundation pit can reduce the cost of construction.


Platform requirements of Foundation Pit:

The platform must be able to bear the horizontal tension occurred during loading/unloading and the force of the truck's reversing.


Angle treatment for platform edge with angle iron.




标准平台基坑



带有尾板存储槽的平台基坑



带尾板存储槽基坑
(钢结构支撑梁)



预制基坑

装卸货平台基坑实例图片 PIT CASES



钢结构预制基坑
Steel structure prefabricated foundation pit



带尾板存储槽钢结构预制基坑
Precasting Foundation Pit of Steel structure with Tailboard slot



标准基坑
Standard Foundation pit



箱式基坑
Box foundation pit

GMVL 垂直式平台 >>>

Vertical Dock Levelers

GMVL 垂直装卸货平台，应用于冷链物流行业和对装卸货环境有严格要求的行业企业，此类卸货平台通过特别的设计，可以使装卸货区域与外界彻底阻断，实现运输车辆与库房无缝对接，降低能源使用成本、保护货品安全。


GMVL vertical dock levelers has been widely applied to the cold chain logistics industry and industrial enterprises with strict requirements for loading and unloading environment. Such dock leveler can completely block the loading and unloading area with the outside world through special design, realizing the transport vehicle and warehouse without broken chain docking, reducing energy use costs and protecting the safety of goods.




(mm) 载货单位 (T)

型号 Models	W(mm)	L(mm)	H(mm)	O(mm)	调节范围 Adjustment Range	载货 (T) Capacity
GMVL	1800-2200	1500-1800	350	500	12.5%	5

可选部件 Optional part



密封垫 Gaskets



梯形搭板 Tapered Lip

铝制平台 >>>

Aluminum Lifting Platform

GMFD 手动铝制平台适用于月台高度与车辆高度相差不多的条件下使用，是一种简单、可靠、经济的装卸货平台产品。载重 4T，满足大部分城市配送中心使用，特别适合餐饮物流、生鲜物流、商超配送等物流配送中心使用。

Manual aluminum lifting platform is suitable for the place with a small height difference between the truck and platform. It is a simple, reliable and economic loading/unloading product. The manual lifting platform with load 4T satisfies most of the city distribution centers and it is particularly suitable for logistic distribution centers such as catering logistics, fresh logistics and business supermarket distribution.



(mm) 载货单位 (T)

型号 Models	W (mm)	L (mm)	调节范围 Adjustment Arrange	载货 Capacity	型号 Models	W (mm)	L (mm)	调节范围 Adjustment Arrange	载货 (T) Capacity
GMFD	1650	450	100/-80	4	GMFR	1650	650	100/-80	4
GMFD	1650	650	150/-150	4	GMFR	1650	850	150/-150	4
GMFD	1650	850	180/-180	4	GMFR	1650	850	180/-180	4

定制化平台

Customized Dock Leveler

捷曼可以根据客户的使用需求提供各种样式的定制化平台，解决不同的客户需求。

Gemlin can provide a variety of customized dock levelers to meet different customer's requirement.



框架式平台

Frame dock leveler

当现有月台无法提供基坑，可以选用框架式平台结构，解决此类客户需求。

When the existing platform can not provide foundation pit, you can choose the frame dock leveler to meet the needs of such customers.



组合式平台

Combined Dock leveler

既可满足垂直运输要求又可以实现高效率的装卸货需求。

It can satisfy the requirement of vertical transportation and realize the high efficiency of loading and unloading demand.



气袋式平台

Air bag Dock leveler

通过气压举升工作台面，无需更换液压油之类保养，减少化石能源消耗。

Lifting the work table by air pressure, no need to make the maintenance, like replacing the hydraulic oil, reducing the energy consumption.

升降平台

Lifting Dock levelers

升降平台是解决货物垂直运输搬运的专用设备，此类设备完全根据客户需求进行定制化设计生产。

The lifting dock leveler is the special equipment for vertical transportation of goods. Such equipment is completely designed and produced according to the customer's requirements.



剪叉式升降平台

Scissor lift dock leveler

剪叉式升降平台应用广泛，根据平台的台面尺寸和升降行程采用单叉或多叉选择。

The scissor lift dock leveler had been widely used, with single or multi-fork selection depending on the working table size and lifting stroke of the dock leveler.



直顶式升降平台

Vertical Top lift dock leveler

直顶式升降平台不需要提供土建基坑，即可满足垂直运输要求。

Vertical top lift dock leveler does not need to provide civil foundation pit, which can meet the vertical transport requirements.



升降机

Lifter

用于解决地面到高层之间的货物垂直运输。

It is used to solve the vertical transport of goods between layer 1 and layer 2.

工业门 >>>

Industrial Doors

> 工业提升门 Industrial Sectional Doors



工业滑升门是现代仓储物流、工业厂房等工业建筑应用最为广泛的门类产品。其产品具有保温密封性、抗风性、经济耐用、维修简便等诸多优点，多种提升方法适合不同类型的安装场所。

Industrial sectional doors are the most widely used products in industrial construction such as modern warehouse logistics and industrial plants. This product has many advantages such as heat insulation and sealing, wind resistance, durability and economy, and easy maintenance. A variety of lifting methods are suitable for different types of installation sites.

> 提升方式 Lifting Ways

捷曼提升门经过我们工程师严格的测量计算，保证适合的提升方式，以提高用户建筑空间的有效利用率。


Through rigorous calculation by our technician, GEMLIN ensure a suitable lifting way in order to improve the effective utilization of building space.



> STD40

门扇厚度 40mm，防夹手门板设计，适用于多种场所的物流中心，工业厂房。

Door fan thickness 40 mm, anti-clamping door panel design, suitable for logistics center in a variety of locations & industrial plant.



> STD60

门扇厚度为 60 毫米，高标准冷链物流、食品工厂首选产品，门板特殊断桥冷桥设计，特别适合 5-10 度的工作区域。

STD60 door fan thickness 60mm, is the Preferred product of high standard cold chain logistics and food factory. The door panel with special cold bridge design, which is especially suitable for 5-10 degrees of work area.



> STD80

门扇厚度为 80 毫米，高标准冷链物流、食品工厂首选产品，门板特殊断桥冷桥设计，特别适合 0-5 度的工作区域。

STD80 door fan thickness 80mm, is the Preferred product of high standard cold chain logistics and food factory. The door panel with special cold bridge design, which is especially suitable for 0-5 degrees of work area.



STDLS-11 大跨度提升门



STDLS-11 Large Sectional Doors

全铝（钢）门体结构，特殊高强度门板设计，最大宽度 12m，特别适合没有保温需求的大型物流中心或沿海多台风有抗腐蚀要求的工作环境。

All aluminum (steel) door structure, special high-strength door panel design, maximum width of 12m, especially suitable for large logistics centers without insulation requirements or coastal typhoons with anti-corrosion working environment.



GMR95 卷帘门 Roller shutter Door

适合使用要求不高的物流中心，捷曼提供的卷帘门有具有保温功能和单层钢板两种选择。

Suitable for logistics centers without high using requirement, Gemlin's roller shutter door have two options: insulation function and single-layer steel.



GRD100 快速卷帘门 Fast Roll Door

GRD100 适用于使用非常频繁的物流通道，自动快速开启和关闭，有效隔离室内外环境。

Suitable for very frequent logistics channels, automatically fast opening and closing, effectively isolating indoor and outdoor environments.



GYD800 硬质保温快速门 Fast Spiral Door

GYD800 是一款具有保温防盗功能的快速门，自动快速开启和关闭，有效隔离室内外环境。

GYD800 is a fast door with thermal insulation and anti-theft function, automatically opening and closing, effectively isolating indoor and outdoor environment.



门封 / 门罩 >>>

Door Shelters

门封 / 门罩在装卸货时，用于密封货车与月台之间的缝隙。选择合适的门封 / 门罩可以保护货物装卸时免受灰尘、风雨、昆虫、外部温度的影响，阻止空气对流，节省大量的能源费用支出。

The dock shelters are used for sealing the gap between the trucks and platform during loading/unloading cargo. Choosing the right dock shelters can protect the cargo from dust, rain, insects and external temperature effect, block the air convection and save a lot of energy expenses.

> GMQ 充气式门封 Inflatable Dock Shelter

充气式门封适用于密闭环境较高的工作场所，如药品、食品等行业，此种门封能够解决不同门洞尺寸、不同车辆尺寸的密封方案。

充气式门封通过高效气泵将门封上部和侧部的高耐磨气囊瞬间鼓起，并将车厢包裹，实现密闭效果。

It applies to the workplace with higher confined environment, such as pharmaceuticals, food and other industries. It can solve the sealing scheme of different doorway sizes and different vehicles.

Through high performance gas pump, the inflatable door shelters blowup the upper and side highwear-resistant airbags and parcels the carriage to achieve the sealing effect.

型号 Models	规格 (mm) Specifications		
	W	L	H
GMQ	3600	3800	750



> GMZ 门罩 (机械式门封) GMZ Mechanical Dock Shelter

门罩结构采用铝合金挤压成型，采用可变菱形结构，能有效吸收车辆意外撞击产生的冲击力。

门罩正面材料选用 3mm 厚聚氯乙烯纤维布，具有极高的耐磨性，侧面选用 1mm 厚的聚酯纤维涂覆织物。侧帘表面涂有倒车导向条，下部装有密封垫，能够很好解决车辆与门罩之间的间隙。

The structure of the dock shelter adopts aluminum alloy profile, with variable diamond structure, can effectively absorb the impact of the crash caused by vehicle accident. The front door cover material selects 3mm thick PVC fiber cloth with extremely high abrasion resistance. The side chooses 1mm thick polyester fiber fabrics. Side curtain surface is coated with a backing strip, the lower part is equipped with a gasket which can solve the gap between the vehicle and the cover.

型号 Models	规格 (mm) Specifications		
	W	L	H
GMZ	3400	3500	600
GMZ	3100	3100	600



门封 >>> Cushion Dock Shelters

> GMZ-A/B 垫式门封 Cushion Dock Shelter

GMZ-A/B 垫式门封广泛应用于冷链物流。通过车厢与门封产生有效挤压达到密闭效果。

The GMZ-A/B cushion dock shelters are widely used in cold chain logistics. It achieves the sealing effect through the effective squeeze between the carriage and the dock shelter.



GMZ-A 固定式垫式门封
GMZ-A fixed cushion dock shelter

型号 Models	规格 (mm) Specifications		
	W	H	P
GMZ-A	门宽 +300 W+300	门高 +300 H+300	250-300
GMZ-B	门宽 +300 W+300	门高 +300 H+300	250-300



GMZ-B 顶部可调垫式门封
GMZ-B Top Adjustable cushion dock shelter

定制门封 >>> Customized Dock Shelters



铁路对接门封
Dock shelters for Railway Docking



火车通道门封
Dock shelters for Train Access



城市配送车辆门封
Dock shelters for Urban distribution vehicles



落地式门封
Floor Dock shelters



GMS 隧道式门罩
Tunnel dock shelter



GMZ 组合式门封
Combination dock shelter

装载间 >>> Dock House

装载间特别适合改造的冷库使用，无需额外的设备基础，减少了施工时间，装卸货平台置于室外，提高室内库房的利用效率。

The docking house is especially suitable for modified cold storage, without additional equipment foundation, the construction time is reduced, the dock leveler is placed outside, which improved the utilization efficiency of the indoor warehouse.



联排式 Coupled-row type



独立式 Detached Type




角度型 Angle type

工业篷房 >>> Industrial Tents


当建筑空间不能够满足货物堆放要求，可选用工业篷房以扩展建筑物使用空间。

When the building space can not meet the cargo stacked requirements, we can choose the industrial tents to expand the use space of the building.


独立式
Independent type





侧边式
Side type



连接式
Connection type



雨棚式
Rainshed type



装卸口防护设施 >>> Safety Protection Devices

车厢照明灯 Dock Light

装卸货位灯适用于密封车厢（集装箱）在装卸货过程中货箱内没有照明条件的工作场合。装卸货位灯有效的提高了车厢内的工作环境。提高了工作效率，减少安全隐患。

The Dock light is suitable for the working place where the sealed compartment (container) has no lighting conditions in the cargo box during loading and unloading. The dock light effectively improves the working environment inside the compartment, improves work efficiency and mitigates possible safety concerns.



装卸货位灯
Dock light

车厢换气扇 Ventilating Fan

车厢换气扇适用于密封车厢（集装箱）在装卸货过程中货箱内没有通风及照明条件的工作场合。车厢换气扇及照明有效的提高了车厢内的工作环境。提高了工作效率有效降人工成本。

The ventilation fan is suitable for the workplace where the sealed compartment (container) in the container is without ventilation and lighting conditions during the loading and unloading process. The ventilation fan and the illumination effectively improve the working environment in the compartment, improve the working efficiency and effectively reduce the labor cost.



车厢换气扇
Ventilating Fan

货车限位器 Truck Limiter

货车限位器确保货车在装货过程中不会与月台分离，降低由于错误操作、货车移位、落地支架坍塌等多种原因造成的工伤事故的发生。

The truck limiter ensures that the truck will not be separated from the platform during the loading process, reducing the occurrence of work-related accidents caused by various reasons such as incorrect operation, truck shift, and landing bracket collapse.



自动尾钩锁车
Automatic tail hook lock

手动尾钩锁车
Manual tail hook lock

手动轮锁 Easy Lock

手动轮锁可以牢固锁住货车轮胎，但不会损坏被锁车辆轮胎；手动轮锁可以有效防止装卸货过程中车辆意外溜走，导致工作人员受伤或货物损坏。

The manual wheel lock can firmly lock the truck tires, but will not damage the locked vehicle tires; the manual wheel lock can effectively prevent the vehicle from slipping away during loading and unloading, resulting in staff injury or cargo damage.



手动轮锁
Easy Lock

自动车轮锁 Automatic Wheel Lock

车轮锁可以牢固锁住货车轮胎，防止装卸货过程中车辆意外溜走，导致工作人员受伤或货物损坏。

The wheel lock can firmly lock the truck tires, effectively prevent the vehicle from slipping away during loading and unloading, resulting in staff injury or cargo damage.



车轮锁
Wheel Lock

交通灯 Traffic Light

交通灯在装卸货过程中起到警示作用。在正常不工作的情况下，交通灯显示绿灯亮；卸货车辆停靠好后，打开门，交通灯由绿灯转为红灯，卸货平台开始工作，警示其他工作人员或车辆禁止通行。

Traffic lights play a warning role in the process of loading and unloading. In the case of normal non-working situation, the traffic light shows a green light. After the vehicle stops, open the door, the traffic light changes from green light to red light, and the dock leveler starts to work, warning that other staff or vehicles cannot pass through.




交通灯
Traffic Light

集成控制箱 Integrated control box

捷曼专业研发出一款集成控制箱，集成统一面板分区控制卸货平台，滑升门及充气门封，操作简捷美观，节省安装空间。

Gemlin develops an integrated control box, the integrated unified panel controls the dock leveler, sectional doors and inflatable dock shelters in partition, simple operation and beautiful appearance, saving installation space.



控制箱
Control box

车辆导向轨 Vehicle-oriented guide

引导货车准确的进入装卸货口位置，防止车辆错误操作引起的建筑物损坏。

This device guides the truck to accurately enter the loading and unloading position, preventing damage to the building caused by incorrect operation of the vehicle.



车辆导向轨
Vehicle-oriented guide

安全护栏 Dock Guard

捷曼安全护栏专为配合捷曼的装卸货系统而设计，最大程度确保卸货月台安全性。防止叉车、液压车或人员从装卸月台上跌落。捷曼安全护栏可在厂房内使用，隔离人员与生产及物流装卸设备。

Gemlin Dock Guard is designed to cooperate with Gemlin Dock system to ensure the maximum safety of platform, preventing the forklifts, hydraulic vehicles or personnel from falling from the platform. Gemlin Dock Guard can be used in the plant to isolate personnel from production and logistics loading and unloading equipment.



系统组合演示图 Demonstration Diagram



装卸口方案 >>>

Loading/Unloading port Solutions

> 无断链装卸口


loading and unloading port without broken Chain

无断链装卸口区别与传统型装卸口，车厢门在穿堂内部打开，避免货物与外界接触，一次对接即可完成接驳动作，使其装卸货效率大大提高，避免了室外的温湿空气进入到冷库内部，通过保温提升门的隔绝彻底阻断冷桥的产生，让您穿堂区域更加整洁高效。

The loading and unloading port without broken chain is different from the traditional loading and unloading port. The compartment door is opened inside the hall to avoid the contact with the outside world, and the docking can be completed once, which greatly improves the efficiency of loading and unloading, preventing the warm & humid air outside from entering into the interior of the cold storage. The heat preservation sectional door completely blocks the generation of the cold bridge, which makes your hallway area more tidy and efficient.

此种装卸口专用于低温冷链物流行业，彻底阻断因装卸货平台冷桥造成的不必要冷量外泄现象。

The loading/unloading port is dedicated to the low-temperature cold chain logistics industry, completely blocking the unnecessary cold leakage caused by cold bridge of the dock levelers.



无断链装卸口设计主要采用三种形式：


The design of unbroken chain loading and unloading port mainly adopts Three forms:

伸缩式无断链装卸口 Telescopic unbroken chain loading and unloading port

垂直式无断链装卸口 Vertical unbroken chain loading and unloading port

> 伸缩式无断链装卸口 ----- 贯通型

Telescopic unbroken chain loading and unloading port-Pass-through type



> 伸缩式无断链装卸货口 ---- 豁口型

Telescopic unbroken chain loading and unloading port-Gouging type




垂直式无断链装卸口 >>>

Vertical unbroken chain loading and unloading port

垂直式无断链装卸口，非常适合干线节点物流。口岸物流，方便清洁的基础设计确保您的物流中心环境卫生。

Vertical unbroken chain loading and unloading port is very suitable for trunk node logistics, port logistics, convenient and clean foundation pit design to ensure the environmental sanitation of your logistics center.



连续形式
Continuous form



独立形式
Independent form



物流仓储全方位防撞系统

Comprehensive collision Prevention system for Logistics warehouse

捷曼打造全新的仓库防撞系统产品，使您的仓库不再有安全隐患。防护柱（护栏）采用超弹性HDPE，能够吸收撞击产生的巨大能量。保护您的资产和您的员工安全。

Gemlin creates a new warehouse anti-collision system products, so that your warehouse no longer have security risks. The Anti-Collision post adopts HDPE material, which can absorb the tremendous energy generated by the impact and protect your assets and your employees.

